

gesamt-Stickstoff TN_b 22

total Nitrogen / Azote total / Nitrogeno total

Test 0-83

REF 985 083



Rundküvettest / Tube test


Test en cuves rondes / Prueba en cubeta cilíndrica

0.5–22.0 mg/L N


365 nm

Method(e) / Método


0831




1
leere Rundküvette
empty test tube
cuve ronde vide
tubo de test vacío




2
5.0 mL Probe
Sample
Echantillon
Muestra




3
1 x orange/naranja
Aufschlussreagenz
Decomposition reagent
Réactif de minéralisation
Reactivo de descomposición




4
Schütteln
Shake
Agiter
Agitar




5
120 °C/30 min
oder/or/ou/o
100 °C/1 h




6
Abkühlen lassen
Allow to cool
Laisser refroidir
Dejar enfriar



7
1 x schwarz/black/noir/negro
Kompensationsreagenz
Compensation reagent
Réactif de compensation
Reactivo de compensación



8
Schütteln
Shake
Agiter
Agitar



9
Aufschlusslösung A
Decomposed solution A
Solution de minéralisation A
Solución de descomposición A