

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162	ExHü MN 649, Glasf., 22x45 mm	Page: 1/6
Printing date: 01.10.2019	Date of issue: 05.06.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 649162
 Product name ExHü MN 649, Glasf., 22x45 mm

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

25 x Extraction thimbles made from borosilicate glass MN 649

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Information not necessary.
 You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Extraction thimbles made from borosilicate glass MN 649

Signal word Do not need labelling as hazardous
 -

No hazard class

2.2 Label elements

Not hazardous labelled, because a long-time/multiple exposition of intaking dust is excluded, if the product is safety handled.
The following listed labelling would be creating an "OVERLABELLING".

Extraction thimbles made from borosilicate glass MN 649
 Do not need labelling as hazardous
 Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties
 According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. Less hazardous potential from dust. ---

Information pertaining to particular risks to human and possible symptoms
 No hazards in accordance with EU regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods. ---

Information pertaining to particular risks to the environment



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162

ExHü MN 649, Glasf., 22x45 mm

Page: 2/6

Printing date: 01.10.2019

Date of issue: 05.06.2019

Other hazards

Concerning 97/69/EC "Mineral fibres" and CLP are all glass-like silica fibres carcinogen (Carc. 2 H351), if they contain more than 18 % oxides of the metals Na, K, Mg, Ca and Ba.

It is not possible to declare glass filters as dangerous or not. We recommend not to inhale product dust. Glass filter dust may cause various damage of the inhalatory system if inhaled over a longer period.---

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Extraction thimbles made from borosilicate glass MN 649

Chemical: quartz wool, glass fibres

CAS No.: 14808-60-7

Classification: No criteria for classification or naming of chemical not required.

Formula: SiO₂

TSCA Inventory: listed

EC No.: 238-878-4

KE No.: KE-29983

Concentration: 95 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Remove dust with wetted tissue.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes

4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None. Substance itself does not burn.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162

ExHü MN 649, Glasf., 22x45 mm

Page: 3/6

Printing date: 01.10.2019

Date of issue: 05.06.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with fingers. Do not breathe dust. .

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Collect fibres in a plastic bag and close. Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle with care. Prevent activities that damage the paper surface. Do not inhale product dust.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 13

Water hazard class (DE): nwg

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Extraction thimbles made from borosilicate glass MN 649

Chemical: quartz wool, glass fibres

CAS No.: 14808-60-7

TRGS 900 (DE): 0,15 A mg/m³
A/a aveoles passing, E/e respirable, G total

SUVA(CH) MAK value: 0,05 a mg/m³

NIOSH: [TWA] 3 fibers/cm³ (fibers ≤ 3.5 µm in diameter & ≥ 10 µm in length) [TWA (total)] 5 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA (total/resp)] 15 / 5 mg/m³

8.2 Exposure controls

Not necessary.

8.2.1 Respiratory protection

Not necessary. Use for regularly working with dry powders a dust mask or a dust protection filter, class P3.

8.2.2 Hand protection

Not necessary.

8.2.3 Eye protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Extraction thimbles made from borosilicate glass MN 649

Appearance: solid

Colour: white

Odor: odorless

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162

ExHü MN 649, Glasf., 22x45 mm

Page: 4/6

Printing date: 01.10.2019

Date of issue: 05.06.2019

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

Not known. None ---

10.5 Incompatible materials

Not known. None.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

Extraction thimbles made from borosilicate glass MN 649

Chemical: quartz wool, glass fibres

CAS No.: 14808-60-7

TSCA Inventory: listed
size)

California Proposition 65 List: listed cancer (airborne particles of respirable

ACGIH: 0.1 ppm

Target Organs: irritate or damage pulmonary tissue

Symptoms: cough; tightness in chest; shortness of breath

Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$

Korea Exist.Chem.Inventory: KE-29983

A long-term risk of inhalation of fine dust can be normally excluded, when the product is handled with care. Concerning 97/69/EC "Mineral fibres" and CLP regulation are all glass-like silica fibres carcinogen (Carc. 2 H351), if they contain more than 18 % oxides of the metals Na, K, Mg, Ca and Ba.

TRGS 905 (DE): K2

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

Extraction thimbles made from borosilicate glass MN 649

Chemical: quartz wool, glass fibres

CAS No.: 14808-60-7

Water hazard class (DE): nwg WGK No.: 0849

Storage class (VCI): 13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162

ExHü MN 649, Glasf., 22x45 mm

Page: 5/6

Printing date: 01.10.2019

Date of issue: 05.06.2019

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Empty filter close packed into municipal waste.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 Environmental hazards

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated 03/2018
 SUVA .CH, Limits in air at work 2009, revised on 01.2009

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 649162

ExHü MN 649, Glasf., 22x45 mm

Page: 6/6

Printing date: 01.10.2019

Date of issue: 05.06.2019

Guideline 97/69/EC, mineral fibres
(TRGS 521, German engineering rules governing reconstruction, maintenance and demolition with old mineral wool, February 2008,
revised TRGS 521 "Mineral fibres")
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU