

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321	Phenylethanol testmixture/Lipodex A	Page: 1/7
Printing date: 01.10.2019	Date of issue: 16.05.2018	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 722321
 Product name Phenylethanol testmixture/Lipodex A

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 1 mL Phenylethanol test mixture in dichloromethane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

1 mL Phenylethanol test mixture in dichloromethane



GHS07 GHS08

Signal word WARNING

Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H336	STOT SE 3
H351	Carc. 2

2.2 Label elements

Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

Not hazardous labelled, because 1 mL units or minimal amounts have low hazard risk. The following listed labelling would be creating an "OVERLABELLING".

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 2/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

1 mL Phenylethanol test mixture in dichloromethane



GHS07 GHS08

Signal word: WARNING

H351
Suspected of causing cancer.

P280sh
Wear protective gloves/eye protection.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. ---

Information pertaining to particular risks to human and possible symptoms

Suspected of causing cancer. -

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

1 mL Phenylethanol test mixture in dichloromethane

Chemical:	<i>dichloromethane</i>	CAS No.:	75-09-2
Classification:	H315, Skin Irrit. 2, H319, Eye Irrit. 2, H336, STOT SE 3, H351, Carc. 2		
Formula:	CH ₂ Cl ₂		
Pseudonym:	methylene chloride, DCM		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119480404-41-xxxx		
EC No.:	200-838-9	Indice No.:	602-004-00-3
RTECS:	PA8050000	MFCD:	00000881
KE No.:	KE-23893		
Concentration:	90 - <100 %		
acc. CLP (GHS):	H315, Skin Irrit. 2, H319, Eye Irrit. 2, H336, STOT SE 3, H351, Carc. 2		

Chemical:	<i>test chemical(s) (ppm)</i>	CAS No.:	-
Classification:	No criteria for classification or naming of chemical not required.		
TSCA Inventory:	all <0.1%		
Concentration:	0,1 - <1 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

3.3 Remarks

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

4.1.2 After EYE Contact

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 3/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

Carcinogenic Effects: Suspected of causing cancer. ---

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Not for organic solvents (see section 13).

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 12

Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 4/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1 mL Phenylethanol test mixture in dichloromethane

Chemical: *dichloromethane*

CAS No.: 75-09-2

EU value: [TWA] 353 / [STEL] 706 mg/m³

TRGS 900 (DE): 50 mL/m³ / 180 mg/m³
E/e respirable

Short-term exposure factor: 2 (II)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [MAK] 177/[STEL] 353 mg/m³

SUVA(CH) BAT value: CO-Hb: 5%; B, b 1 mg/L

TRGS 903 (DE): [B/g] 500 µg/L

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH:

Occupational Carcinogen List Yes, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [1910.1052] TWA 25 ppm ST 125 ppm

Chemical: *test chemical(s) (ppm)*

CAS No.: -

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, for chlorinated carbons consist of viton (f.ex. from Ansell or KCL).

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 mL Phenylethanol test mixture in dichloromethane

Appearance: -

Colour: -

Odor: -

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Not necessary. ---

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 5/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

1 mL Phenylethanol test mixture in dichloromethane

Chemical:	<i>dichloromethane</i>	CAS No.:	75-09-2
TSCA Inventory:	listed	California Proposition 65 List:	listed, cancer
Exposure Routes:	inhalation, skin absorption, ingestion, skin and/or eye contact		
Target Organs:	Eyes, skin, cardiovascular system, central nervous system ; Cancer Site[in animals: lung, liver, salivary & mammary gland tumors]		
Symptoms:	irritation eyes, skin; lassitude (weakness, exhaustion), drowsiness, dizziness; numb, tingle limbs; nausea; [potential occupational carcinogen]		
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL Yes, Toxic Substances (Schedule 1) Yes (Item 37.)
Japan CSCL/PRTR:	PAC Yes, PRTR: ≥1,0% class I, Japan PDSCL: not listed		
Japan ISHL:	listed ≥1,0%/≥0,1%, Article 57-1+2 (Labelling&SDS required)		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-23893		
LD50 _{orl rat} :	1600 mg/kg		
LC _{Loworl hmn} :	357 mg/kg		
LC50 _{ihl rat} :	52 _{4h} mg/m ³		
LD50 _{drmm rat} :	>2000 mg/kg		
Carcinogenic Effects:	Suspected of causing cancer.		
TRGS 905 (DE):	K3A (4/5)		

Chemical:	<i>test chemical(s) (ppm)</i>	CAS No.:	-
TSCA Inventory:	all <0.1%		

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

1 mL Phenylethanol test mixture in dichloromethane

Chemical:	<i>dichloromethane</i>	CAS No.:	75-09-2
LC50 _{pimephales promelas/96h} :	193 mg/L		
EC50 _{daphnia/48h} :	1682 mg/L		
EC50 _{pseudokirchneriella subcapitata/72h} :	IC50 _{96h} : > 660 mg/L		
Water hazard class (DE):	2	WGK No.:	0149
Dispersion coefficient _(octanol-water) :	1.25		
Storage class (VCI):	12		

Chemical:	<i>test chemical(s) (ppm)</i>	CAS No.:	-
Storage class (VCI):	12		

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 6/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Or collect in solvent waste (waste code number 07 07 04).

13.1 Waste treatment methods

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations because

De Minimis (excepted quantities: $\leq 1 \text{ mL} / \sum \leq 100 \text{ mL}$) = ADR 3.5.1.4

De Minimis (excepted quantities: $\leq 1 \text{ mL} / \sum \leq 100 \text{ mL}$) = IATA DRG 2.6.10

14.5 Environmental hazards

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

16.1.2 List of relevant P phrases

P201	Obtain special instructions before use.
P260D	Do not breathe vapours.
P280sh	Wear protective gloves/eye protection.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 722321

Phenylethanol testmixture/Lipodex A

Page: 7/7

Printing date: 01.10.2019

Date of issue: 16.05.2018

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2018

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU